

1.

2.

3.

| | | Qnet. ar | (Vdaf) | St. d | Na ₂ O | M | DT |
|------|--|-------------|---------|-------|-------------------|-----|------|
| 50mm | | 4800kcal kg | 18% 38% | 2.5 % | 2.0 % | 8% | 1350 |
| | | 4600kcal kg | 15% 40% | 4.0 % | 2.0 % | --- | --- |

1.

5

3000

2.

2024 1 19 10

< 1 10

1

2

15

8

3000

2

15

8

5000

20 /

8000

0.02 / .

3.

13 %

4.

10

2304343109122102320

5.

2024 1

| | | | | | | | | |
|--|---|---|--|---|------|------|------|--|
| | Qnet. ar 4800 St. d 2.5% 18% Vdaf 38% Na ₂ O 2.0% 0. xxx / . | Qnet. ar <4800 Kcal / Qnet. ar 100 0.005 / . 100 38%<Vdaf 40% Vdaf 1 0.002 / Vdaf 40% . 1 0.005 / . 8000 < 12000 8000 0.02 / . >12000 12000 0.03 / . | 1. 2.5%<St. d 3.0% St. d 0.1 1 2. 3.0%<St. d 3.5% St. d 0.1 2 3. St. d>3.5% St. d 0.1 5 2.0% 1. 2.0%<Na ₂ O 3.5% 0.1 5 0.1 2. 3.5%<Na ₂ O 4.5% 0.1 10 3. Na ₂ O>4.5% 0.1 20 0.1 | 90-110% 80% <90% -0.002 / . 70% <80% -0.004 / . 60% <70% -0.006 / 50% <60% -0.008 / . 40% <50% -0.010 / . <40% -0.020 / . | | | | |
| | | Qnet. ar 4600Kcal / St. d 4.0% 15% Vdaf 40% Na ₂ O 2.0% | Qnet. ar <4600 St. d 4% Vdaf <15% Vdaf 40% 2.0% Vdaf <15% 20 / Vdaf <18% 20 / | | | | | |
| | | | (/ .) | (%) | % | | % | |
| | | | | 18% Vdaf 38% | 2.5% | 4800 | 2.0% | |

- 1.
- 2.
- 3.
- 4.
- 5.
- 6.

3000 3

Qnet. ar 4800kcal St. d 2.5% 18% Vdaf 38% 2.0%

cnf.dmtbj.cg@163.com