

2024 7

1.

2.

3.

		Qnet. ar	(Vdaf)	St. d	Mt	Na <sub>2</sub> O+K <sub>2</sub> O	DT
50mm		5000kcal kg	15%	2.5%	8%	2.5%	1350
		4700kcal kg	15%	4.5 %	—	2.5%	—

1

3

300

2

2024 7 25 10

< 1

10

2

2304343109122102320

5.

3

6.

10

7.

10

8.

95% 110%

1000

1000

95%

110%

0.002 / .

0.002 / .

9.

0.02 / .

10.

2024 7

<p>Qnet. ar 5000 St. d 2.5% Vdaf 15% Na<sub>2</sub>O+k<sub>2</sub>O 2.5% 0. xxx /</p>	<p>5000 Qnet. ar 4700Kcal / 100 0.002 / . 2. Qnet. ar &lt;4700 Kcal / Qnet. ar 100 0.005 /</p>	<p>1. 2.5%-St. d 3.5% St. d 0.1 0.1 2. 3.5%-St. d 4.0% St. d 0.1 0.1 3. St. d&gt;, 4.0% St. d 0.1</p>	<p>1 3 5 Na<sub>2</sub>O+K<sub>2</sub>O 2 5 10</p>	<p>95-110% 90% &lt;-95% 80% -0.002 / . 70% -0.004 / . 60% -0.006 / . 50% -0.008 / . 40% -0.010 / . -0.015 / . -0.020 / .</p>			
	<p>8000 &lt; 12000 8000 0.02 / &gt;12000 12000 0.03 /</p>	<p>1. 2.5%-Na<sub>2</sub>O+k<sub>2</sub>O 3.5% 0.1 2. 3.5%-Na<sub>2</sub>O+k<sub>2</sub>O 4.5% 0.1 3. Na<sub>2</sub>O+k<sub>2</sub>O&gt;4.5% 0.1</p>	<p>2 5 10</p>	<p>90% &lt;-95% 80% -0.002 / . 70% -0.004 / . 60% -0.006 / . 50% -0.008 / . 40% -0.010 / . -0.015 / . -0.020 / .</p>			
	<p>Qnet. ar 4700Kcal / St. d 4.5 % Vdaf 15 %</p>	<p>&lt;4700 4.5% Vdaf &gt;15% Na<sub>2</sub>O+K<sub>2</sub>O 2.5%</p>					
		( / . )	(%)	%	Na <sub>2</sub> O+K <sub>2</sub> O		
			15%	, 2.5%	5000	2.5%	

1. 3000 3
- 2.
3. Qnet. ar 5000kcal St. d 2.5% Vdaf 15% 2.5%
- 4.
5. 3 10
- 6.
7. 2024 7 25 10

[cnf.dntbj.cg@163.com](mailto:cnf.dntbj.cg@163.com)

0830-3628072

0830-3628078