

1.

2.

3.

		Qnet. ar	(Vdaf)	St. d	Mt	Na <sub>2</sub> O+K <sub>2</sub> O	DT
50mm		5000kcal kg	15%	2.5%	8%	2.5%	1350
		4700kcal kg	15%	4.5 %	—	2.5%	—

1.

3

3000

2304343109122102320

5.

3

6.

10

7.

10

8.

95% 110%

1000

1000

95%

110%

0.002 / .

0.002 / .

9.

0.02 / .

10.

2024 9

5000	Qnet. ar	4700Kcal /	100	1.	2.5% St. d	3.5% St. d	0.1	1	95-110%
		0.002 /							
Qnet. ar	2. Qnet. ar <4700Kcal /	Qnet. ar		2.	3.5% St. d	4.0% St. d	0.1	3	90%
5000	100	0.005 /							<95%
St. d	2.5%	100		3.	St. d >, 4.0%	St. d	0.1	5	80%
									-0.002 /
Vdaf	15%	:	Vdaf >15%						80%
			Vdaf						-0.004 /
Na <sub>2</sub> O+k <sub>2</sub> O	1		0.005 /						70%
2.5%									-0.006 /
0. xxx /	8000 <	12000		1.	2.5% Na <sub>2</sub> O+k <sub>2</sub> O	3.5%	0.1	2	60%
	8000		0.02 /						-0.008 /
				2.	3.5% Na <sub>2</sub> O+k <sub>2</sub> O	4.5%	0.1	5	50%
		>12000	12000						-0.010 /
		0.03 /		3.	Na <sub>2</sub> O+k <sub>2</sub> O >4.5%		0.1	10	40%
									-0.015 /
Qnet. ar	4700Kcal /								<40%
St. d	4.5 %	<4700	0				5	M	-0.020 /
Vdaf	15 %								